## MATTE

White TFT-14901 Lemon Yellow TFT-14919

Black TFT-14902 Neon Yellow TFT-14940\*

Columbia Blue

Neon Green TFT-14941 \*

Kelly Green TFT-14904

Neon Orange TFT-14942 \*

Navy Blue TFT-14905

Neon Pink TFT-14943 \*

Royal Blue TFT-14906 New Color! Neon Red TFT-14944★

Red TFT-14908 New Color! Medium Pink TFT-14961

Maroon TFT-14909

Hot Pink TFT-14962

Athletic Gold TFT-14910

Sky Blue TFT-14965

Storm Grey TFT-14912 Apple Green TFT-14967

Royal Purple TFT-14914 New Color! Aqua Green TFT-14968

Orange TFT-14915 New Color! Flame Red TFT-14973

Choc. Brown

New Color! Sweet Mint TFT-14977

New Color! Vanilla Cream TFT-14917

New Color! Berry TFT-14987

Medium Yellow TFT-14918

## METALLIC

Old Gold TFT-14920\*

New Color!
Rose Gold
TFT-14922\*

Antique Silver

## 

# Thermo Flex TURBO®

- Low temperature and quick press time, which eliminates press marks
- Durable, weeds easily, and has a soft hand and strong grip
- Does not encourage dye-migration since it has a low heat and quick press time
- Pressure-sensitive carrier enables easy weeding and repositioning

### **Acceptable Fabrics**

Cotton, Uncoated Polyester, Fabric Blends, Spandex, Lycra, Wool, Linen, and Nylon (See Pressing Instructions on back for Nylon)

### Sizing Available

Available Widths (in.): 15" and 20" Available Lengths (ft.): 15', 30', 45', 60', 90', and 150' rolls

### **Thickness**

4 mils/100 microns

## **Special Precautions**

\*Columbia Blue, Metallics, and Neons cannot be layered beneath anything.





45° Blade



Cut this material in mirror image



270°F



Medium, even pressure



Press for 5 Seconds



Peel warm



Machine wash using mild detergent. Do not use bleach. Dry at a normal dryer setting on household machines. Do not iron directly onto this material. Wash temperature should not exceed 140°F.



Check out our videos featuring this product, as well as many others. Subscribe to us on YouTube! Youtube.com/SpecialtyMaterials

Test on dazzle cloth and other moisture-wicking polyesters. Moisture-wicking materials have better adhesion when washed and dried using no fabric softener or blotted with rubbing alcohol before pressing. Be advised that dye migration has occurred with low energy dyes in polyester and poly-blend fabrics.

White TFT-14901 **Lemon Yellow** TFT-14919

Black TFT-14902 Neon Yellow TFT-14940\*

Columbia Blue TFT-14903\*

Neon Green TFT-14941 \*

Kelly Green TFT-14904

Neon Orange TFT-14942\*

Navy Blue TFT-14905

**Neon Pink** TFT-14943 \*

Royal Blue TFT-14906

New Color! Neon Red TFT-14944\*

New Color!

Red TFT-14908

**Medium Pink** TFT-14961

Maroon TFT-14909

Hot Pink TFT-14962

Athletic Gold TFT-14910

Sky Blue TFT-14965

Storm Grey TFT-14912

Apple Green TFT-14967

Royal Purple TFT-14914

New Color! Aqua Green TFT-14968

Orange TFT-14915

New Color! Flame Red TFT-14973

Choc. Brown TFT-14916

New Color! Sweet Mint TFT-14977

New Color! Vanilla Cream TFT-14917

Berry TFT-14987

**Medium Yellow** 

Old Gold TFT-14920\*

Rose Gold TFT-14922\*

**Antique Silver** TFT-14930

## Specialty Materials THE BEST GARMENT DECORATION PRODUCTS

# Thermo Flex TURBO

- Low temperature and quick press time, which eliminates press marks
- Durable, weeds easily, and has a soft hand and strong grip
- Does not encourage dye-migration since it has a low heat and quick press time
- Pressure-sensitive carrier enables easy weeding and repositioning

## **Acceptable Fabrics**

Nylon

## Sizing Available

Available Widths (in.): 15" and 20" Available Lengths (ft.): 15', 30', 45', 60', 90', and 150' rolls **Thickness** 

4 mils/100 microns

## **Special Precautions**

**★**Columbia Blue, Metallics, and Neons cannot be layered beneath anything.



Nylon

45° Blade

**Cut this material** in mirror image



300°F



Low, even pressure



Pre-press garment for 5 seconds,press material for 5 seconds



Peel warm, cover with silicone sheet and re-press for 10 seconds



Machine wash using mild detergent. Do not use bleach. Dry at a normal dryer setting on household machines. Do not iron directly onto this material. Wash temperature should not exceed 140°F.



Check out our videos featuring this product, as well as many others. Subscribe to us on YouTube! Youtube.com/SpecialtyMaterials

Test on dazzle cloth and other moisture-wicking polyesters. Moisture-wicking materials have better adhesion when washed and dried using no fabric softener or blotted with rubbing alcohol before pressing. Be advised that dye migration has occurred with low energy dyes in polyester and poly-blend fabrics.